




Attachment

CATALOG

MAST
FARM SERVICE

VOL. 1



At Mast, quality is about more than the final product. It's about building a team of skilled metalworkers, investing in modern and safe operations and delivering the most value through every step of your project. With our expertise and capabilities, we are able to offer some of the best products in Ohio and surrounding states.





TABLE OF CONTENTS



Buckets..... 5

Grapples 25

Bale Handling 37

Economy Bale Handling..... 51

Pallet Forks..... 55

Graders 65

Snow Equipment 69

Manure Forks 73

Mount Plates 79

Miscellaneous 87

Trailer Mover 95

Attachment Accessories 99

Replacement Parts 107





////// Buckets

Manure-Slurry Bucket

Material Bucket

Tube-Top Bucket

Utility Bucket

Low-Profile Bucket

Grading Bucket

Grading Bucket with Teeth

Chicken Litter Bucket

Compact Tractor Bucket – Small

Compact Tractor Bucket – Large

Dingo Bucket

Euro-Style Bucket – Small

Euro-Style Bucket – Large

Attachment Accessories

Manure-Slurry Bucket

Features higher sides and more rollback for handling of sloppy manure.



- 23" high x 31" deep
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
54MAN	54"	14.96	0.55	440
60MAN	60"	16.62	0.62	471
66MAN	66"	18.28	0.68	500
72MAN	72"	19.95	0.74	540
78MAN	78"	21.61	0.80	580
84MAN	84"	23.27	0.86	645
96MAN	96"	26.60	0.99	730

Material Bucket

This bucket works best for general-purpose material handling.



- 26" high x 32" deep
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
48MAT	48"	14.88	.55	365
54MAT	54"	16.89	0.63	420
60MAT	60"	18.77	0.7	466
66MAT	66"	20.65	0.76	501
72MAT	72"	22.52	0.83	522
78MAT	78"	24.4	0.9	566
84MAT	84"	26.28	0.97	607
96MAT	96"	30.03	1.11	692

Tube-Top Bucket

High capacity bucket. Super heavy-duty.



- 30" high x 41" deep
- 5" x 3" x 1/4" tube along top
- 3/4" x 6" cutting edge

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
54TUBE	54"	26.46	0.98	610
60TUBE	60"	29.40	1.09	680
66TUBE	66"	32.34	1.19	750
72TUBE	72"	35.04	1.30	820
78TUBE	78"	37.96	1.41	892
84TUBE	84"	40.88	1.51	905
96TUBE	96"	46.72	1.73	990

Utility Bucket

For general purpose use. Features a long bottom. The cutting edge is visible from the seat of some skid loaders.



- 22" high x 35" deep
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
48UT	48"	14.40	0.53	360
54UT	54"	16.17	0.60	420
64UT	64"	17.97	0.67	435
66UT	66"	19.77	0.73	489
72UT	72"	21.57	0.80	510
78UT	78"	23.36	0.87	530
84UT	84"	25.16	0.93	560
96UT	96"	28.75	1.06	620

Low-Profile Bucket

The cutting edge of the grading bucket is visible from the seat of a skid loader.



- 20" high x 35" deep
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
48LOW	48"	13.44	0.49	350
54LOW	54"	15.13	0.56	400
60LOW	60"	16.81	0.62	431
66LOW	66"	18.49	0.68	479
72LOW	72"	20.17	0.75	500
78LOW	78"	21.85	0.81	520
84LOW	84"	23.53	0.87	550
96LOW	96"	26.89	1.00	610

Grading Bucket

The cutting edge of the grading bucket is visible from the seat of a skid loader.



- 20" high x 32" deep
- No rolled-up corners on cutting edge
- Full heel on back corner for back dragging
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
48GRAD	48"	12.00	0.44	375
54GRAD	54"	13.45	0.49	430
60GRAD	60"	15.13	0.56	454
66GRAD	66"	16.81	0.62	482
72GRAD	72"	18.49	0.68	510
78GRAD	78"	20.17	0.75	538
80GRAD	80"	21.85	0.81	577
96GRAD	96"	23.53	0.87	615

Grading Bucket with Teeth

The cutting edge of the grading bucket is visible from the seat of a skid loader.



- 20" high x 32" deep + teeth
- No rolled-up corners on cutting edge
- Full heel on back corner for back dragging
- 3/16" material
- 3/4" x 6" cutting edge
- 1/2" x 4" runners

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
72GRADTEETH	72"	18.49	0.68	560
80GRADTEETH	80"	21.85	0.81	632

Chicken Litter Bucket

Medium-capacity bucket.



- 30" high x 35" deep
- Mesh top for better material sight
- 3/4" x 6" cutting edge

Made to fit any mount.
See [mounting information](#)

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Weight (lbs.)
72CHICK	72"	1.1	623
78CHICK	78"	1.2	658
84CHICK	84"	1.3	693
96CHICK	96"	1.5	728

Compact Tractor Bucket – Small



- 20" high x 20" deep
- Light-duty
- 1/2" x 4" cutting edge
- Shorter lip
- For 35 HP tractors and under

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
48SCOM	48"	0.28	269
54SCOM	54"	0.32	288
60SCOM	60"	0.35	307
66SCOM	66"	0.39	326
72SCOM	72"	0.42	355
78SCOM	78"	0.46	384
84SCOM	84"	0.49	413

Compact Tractor Bucket – Large



- 24" high x 27" deep
- Medium-duty
- 3/4" x 6" cutting edge
- For 35 HP to 70 HP tractors

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
54LCOM	54"	0.49	445
60LCOM	60"	0.55	472
66LCOM	66"	0.60	500
72LCOM	72"	0.66	527
78LCOM	78"	0.71	554
84LCOM	84"	0.77	581
96LCOM	96"	0.88	608

Dingo Bucket



- 40" width buckets are 15" high x 24" deep
- 54" width buckets are 16" high x 29" deep

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width
DINGO40B	40"
DINGO54B	54"

Euro-Style Bucket – Small

Material style bucket.

IMAGE NOT AVAILABLE

- 24" high x 27" deep
- Manufactured with Euro-style mounts only

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Weight (lbs.)
60SEURO	60"	0.51	467
66SEURO	66"	0.56	494
72SEURO	72"	0.61	521
78SEURO	78"	0.66	528
84SEURO	84"	0.71	558

Euro-Style Bucket – Large

Material style bucket.



- 28" high x 33" deep
- Manufactured with Euro-style mounts only

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)
72LEURO	72"	24	0.89	550
78LEURO	78"	26	0.96	632
84LEURO	84"	28	1.04	709
96LEURO	96"	32	1.19	786

Standard Tooth Bar



Our bolt-on tooth bar slides over the cutting edge and bolts to the side of your bucket. Easily remove the tooth bar from your bucket by simply removing two bolts. These are built to fit our standard size buckets, however, we can custom build for any size bucket.

- Teeth are spaced 10" center-to-center
- 1" teeth

Heavy-duty Tooth Bar



Our bolt-on tooth bar slides over the cutting edge and bolts to the side of your bucket. Easily remove the tooth bar from your bucket by simply removing two bolts. These are built to fit our standard size buckets, however, we can custom build for any size bucket.

- Teeth are spaced 10" center-to-center
- 1 1/2" teeth

1" Regular-duty Shank and Tooth

The shank is a cast 2A and the tooth is a 2A series cast tooth. This comes with a roll pin and can be pinned or crimped.

- 2A series cast tooth, Part # 8002A-C
- Cast 2A shank with hole, Part # 12L6DW-8-2A-H
- Roll pin, Part # RP-H2A



Shank for 1" Tooth

Tooth can be crimped on or welded on.


- Part # 12L5DW-8-2A



1" Regular-duty Fabricated Tooth

This tooth can be crimped to a shank (such as Part # 12L5DW-8-2A) and no pin is needed.

- Part # 8002A



1 1/2" Heavy-duty Fabricated Tooth

This tooth is used on our Standard Buckets and our Rock Bucket Grapples.

- Part # 8823



Shank for 1 1/2" Tooth

Shank for 1 1/2" heavy-duty teeth. Use this shank with standard buckets.

- Shank fits 1 1/2" heavy duty teeth
- Use this shank with root rake grapples and standard buckets
- Part # CL-1001-23-1



1 1/2" Heavy-duty Shank and Cutting Tooth

Use this shank and tooth for Standard Buckets.

- 1 1/2" heavy-duty tooth - Part # 8823
- Shank - Part # CL-1001-23-1
- Flex pin - Part # RPH23
- Shank and tooth can be pinned or welded together



Shank and Forged Tooth



Forged Tooth

Forged tooth fits all 23 series shanks.

- Part # 8330F



Flex Pin

- Part # RPH23









Grapples

Rock Bucket Grapple

Wood & Brush Grapple

Bucket Grapple

Root Rake Grapple

Compact Root Rake Grapple

Manure Fork Grapple

Extended Bottom Manure Fork Grapple

Attachment Accessories

Rock Bucket Grapple

Grapple for picking and digging rocks and roots.



- Extra heavy-duty
- Slotted bottom
- 1/2" material construction
- Grapple opening is 44"
- Each grapple is 22" wide

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
54RBG	54"	-	850
66RBG	66"	-	1075
72RBG	72"	-	1100
80RBG	80"	-	1250

Wood & Brush Grapple

Works great for wood & debris cleanup. The wide tine spacing allows for more dirt loss.



- 7 1/4" tine spacing center-to-center
- 6 1/2" spacing between tines
- Tines are 3/4" AR400 plate

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
44WBG	44"	-	577
58WBG	58"	-	628
66WBG	66"	-	915
73WBG	73"	-	910
80WBG	80"	-	955
88WBG	88"	-	1000

Bucket Grapple

Grapple for demolition and clean up work.



- 1/2" concave endplates
- Heavy duty teeth optional
- Solid bottom
- Grapple opening is 44"
- Each grapple is 22" wide

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
60BKG	60"	-	825
66BKG	66"	-	850
72BKG	72"	-	875
84BKG	84"	-	925

Root Rake Grapple

Grapple for brush clean-up and grubbing roots.



- 72" wide - 20" AR400 teeth spaced 10" center to center
- 80" wide - 20" AR400 teeth spaced 10" center to center


Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
72RRG	72"	-	1098
80RRG	80"	-	1215

Compact Root Rake Grapple

Recommended for small skid loaders and compact tractors 50 HP and under.



- Grapple for grubbing roots - brush and tree top clean up
- This unit is 46" in width
- Opens up to 52"
- Teeth are spaced at 10" apart

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
46CRRG	46"	-	462

Manure Fork Grapple

Our standard manure fork with grapples. For strawy pen-pack manure and feed bunk cleanup.



- 1 1/4" square tines made from 1045 heat treated material
- Grapple opening is 35"
- Each grapple is 22" wide

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
60MFG1	60" SINGLE	-	450
60MFG2	60"	-	475
66MFG2	66"	-	525
72MFG2	72"	-	575
84MFG2	84"	-	625

Extended Bottom Manure Fork Grapple

Our standard manure fork with 1/4" thick extended bottom.



- Each grapple is 22" wide
- For strawy manure and light brush cleanup
- Grapple opening is 35"

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)
54MFGE	54" SINGLE	-	573
66MFGE	66"	-	675
72MFGE	72"	-	700
84MFGE	84"	-	750

Shank for 1 1/2" Tooth – Rock Bucket Grapple

Use this heavy-duty tooth for Rock Bucket Grapples.

- Use this shank for Rock Bucket Grapple
- Part # CL-1001-23



Shank and Cutting Tooth – 1 1/2" Heavy-duty

Use this shank and tooth for Rocket Bucket Grapples.

- 1 1/2" heavy-duty tooth - Part # 8823
- Shank - Part # CL-1001-23
- Flex pin - Part # RPH23
- Use this shank and tooth for Rocket Bucket Grapples



Shank for 1 1/2" Tooth

Use this shank with standard buckets.

- Shank fits 1 1/2" heavy duty teeth
- Use this shank with root rake grapples and standard buckets
- Part # CL-1001-23-1



Forged Tooth

Forged tooth fits all 23 series shanks.

- Part # 8330F



Flex Pin

- Part # RPH23









Bale Handling

Round Bale Hugger – Single Cylinder

Round Bale Hugger – Dual Cylinder

Square Bale Hugger

4-Prong Bale Spear

3-Point Bale Spear w/ Hitchball & Receiver

3-Point Bale Spear

3-Prong Bale Spear

2-Prong Bale Spear

Single Prong Bale Spear

3-Prong Economy Bale Spear

2-Prong Economy Bale Spear

Round Bale Hugger – Single Cylinder

This is the best unit for tight stacking. For use with wet or dry bales.



Made to fit any mount.
See [mounting information](#)

- Handles 4' - 5' diameter bales
- Rounded corners won't puncture bale
- Rugged four-pipe construction
- 2 1/2" x 14" hydraulic cylinder for heavy-duty grip
- 37" high x 48" long arms
- Arm opening at tip is 80"

Round Bale Hugger – Dual Cylinder

The dual cylinders allow for excellent gripping pressure.
Works well for wet or dry bales.




Made to fit any mount.
See mounting information

- Handles 4' - 5' diameter bales
- Rounded corners won't puncture bale
- Rugged four-pipe construction
- 2 1/2" x 6" hydraulic cylinders
- 37" high x 48" long arms
- Arms will not swing when driving empty

Square Bale Hugger

For use with wet or dry bales.




Made to fit any mount.
See mounting information

- Handles 4 1/2' - 8 1/2' bales
- Rounded corners won't puncture bale
- Rugged four-pipe construction
- Dual cylinder so bale won't slide
- 30" high x 40" long arms

4-Prong Bale Spear

This bale handler allows you to handle 2 round bales or stack square bales 3 high.



Made to fit any mount.
See [mounting information](#)

- 6 spear collars along bottom - 4 spears included
- Upright tubes are removable
- Collars are spaced 10" on center
- Spears are Kverneland brand - made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

3-Point Bale Spear w/ Hitchball & Receiver

Heavy-duty for handling wet bales.



Made to fit any mount.
See mounting information

- 48" top spear
- 1 - 11" bottom tine
- Category I or II pins available
- 2 5/16" hitch ball
- 2" receiver
- Spears are Kverneland brand - made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

3-Point Bale Spear

Heavy-duty for handling wet bales.



- 48" top spear
- 1 - 11" bottom tine
- Category I or II pins available
- Spears are Kverneland brand - made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

3-Prong Bale Spear



Made to fit any mount.
See mounting information

- 3 - 36" or 48" spears along the bottom
- Frame 41" high x 61" wide
- Tine spacing 27" center to center
- 5" x 3" x 1/4" tubing frame
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

2-Prong Bale Spear



Made to fit any mount.
See mounting information

- 2 - 36" or 48" spears along the bottom
- Extra collar for optional third spear
- Frame 36" high x 49" wide
- Tine spacing 30" center to center
- 5" x 3" x 1/4" tubing frame
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

Single Prong Bale Spear



Made to fit any mount.
See mounting information

- 48" top spear
- 2- 11" replaceable bottom tines keep bale from turning
- Frame 22" high x 48" wide
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 3485 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

3-Prong Economy Bale Spear



Made to fit any mount.
See mounting information

- 3 - 39" or 43" spears
- Conus l spears for easier entry and exit of bale
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 1795 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

2-Prong Economy Bale Spear



Made to fit any mount.
See [mounting information](#)


- 2 - 39" or 43" spears
- Conus l spears for easier entry and exit of bale
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 1795 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

Conus I Bale Spear Tine

Spears are Kverneland brand manufactured in Denmark.

- Spears are rated at 1800 lbs. at 24" load center
- Spears slide into welded-in sleeve on Mast manufactured products and attach with a nut

Available in
24", 32", 39", 43", 49" widths



Conus II Bale Spear Tine

Spears are Kverneland brand manufactured in Denmark.

- Spears are rated at 3485 lbs. at 24" load center
- Spears slide into welded-in sleeve on Mast manufactured products and attach with a nut

Available in
32", 36", 48" widths







Economy Bale Handling

3-Prong Economy Bale Spear

2-Prong Economy Bale Spear

3-Prong Economy Bale Spear



Made to fit any mount.
See mounting information

- 3 - 39" or 43" spears
- Conus l spears for easier entry and exit of bale
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 1795 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut

2-Prong Economy Bale Spear



Made to fit any mount.
See mounting information

- 2 - 39" or 43" spears
- Conus l spears for easier entry and exit of bale
- Spears are Kverneland brand - Made in Denmark
- Spears are rated at 1795 lbs at 24" load center
- Spears slide into welded-in sleeve and attach with a nut





Pallet Forks

Dingo Pallet Forks

Heavy-Duty Pallet Forks

Heavy-Duty Pallet Forks Step-Through

Medium-Duty Pallet Forks

Medium-Duty Pallet Forks Step-Through

Light-Duty Pallet Forks

Boom

Pallet Fork Extensions

Dingo Pallet Forks



Made to fit any mount.
See [mounting information](#)

- 1500 lb lift capacity
- 36", 42" or 48" forks
- Forks are made in America

Heavy-Duty Pallet Forks

For logging and oil-field applications.



Made to fit any mount.
See [mounting information](#)

- 5000 lb lift capacity
- 48" or 60" forks
- Frame 38" high x 49" wide
- High carbon top bar
- Also available with step-through frame
- Forks are made in America

PRODUCT SPECIFICATIONS

Part #	Width
HDPF	48"
HDPF	60"

Heavy-Duty Pallet Forks Step-Through

For logging and oil-field applications.



Made to fit any mount.
See [mounting information](#)

- 5000 lb lift capacity
- 48" or 60" forks
- Frame 38" high x 49" wide
- High carbon top bar
- Step-through frame
- Forks are made in America

PRODUCT SPECIFICATIONS

Part #	Width
HDPF	48"
HDPF	60"

Medium-Duty Pallet Forks

For machines 60 HP and under.



Made to fit any mount.
See mounting information

- 3,500 lb lift capacity
- 42" or 48" forks
- Frame 38" high x 49" wide
- Also available with step-through frame
- Forks are made in America

Medium-Duty Pallet Forks Step-Through

For machines 60 HP and under.



Made to fit any mount.
[See mounting information](#)

- 3,500 lb lift capacity
- 42" or 48" forks
- Frame 38" high x 49" wide
- Step-through frame
- Forks are made in America

Light-Duty Pallet Forks

For small machines & compact tractors 30 HP and under.



Made to fit any mount.
See [mounting information](#)

- 1500 lb lift capacity
- 36", 42", or 48" forks
- Frame 32" high x 48" wide
- Forks are made in America

Boom

Boom for skid steer/tractor loader.

IMAGE NOT AVAILABLE

Made to fit any mount.
See mounting information

- Available in 5', 6', 7', and 8' lengths

PRODUCT SPECIFICATIONS

Part #	Width
5BOOM	5'
6BOOM	6'
7BOOM	7'
8BOOM	8'

Pallet Fork Extensions

We offer fork extensions in 2 sizes and 3 lengths. They slide over your existing pallet forks. Includes pins.



Made to fit any mount.
See mounting information

- Small Option - 2" ID x 4.5" ID
- Large Option - 2.5" ID x 6.5" ID
- Available Lengths - 6', 7', 8'

PRODUCT SPECIFICATIONS

Part #	Width
FORKEXTENSION_LARGE_6	6'
FORKEXTENSION_LARGE_7	7'
FORKEXTENSION_LARGE_8	8'





Graders

3-Point Grader – Heavy-duty





3-Point Grader – Heavy-duty

Choose between the leveling or crowning grader (crown grader shown).



Made to fit any mount.
See [mounting information](#)

- 88" wide
- Will grade 84" wide x 72" long
- 16" high heavy duty side plates
- Replaceable skid shoes
- Adjustable 6" curved cutting edge
- Heavy-duty square-tubing construction
- Fits category 1 or 2 tractor hitch

PRODUCT SPECIFICATIONS

Part #	Width
GRADER7	7' LEVELING
GRADER7	7' CROWNING





Snow Equipment

Trip Snow Blade

Snow Pusher

Trip Snow Blade



- Add pin for fixed blade
- Manual or hydraulic angle
- 26" high
- 1/2" x 6" cutting edge
- Dual cylinder
- 5' - 10' wide
- Optional skid shoes
- 32° of angle

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Weight (lbs.)
60TSB	60"	615
72TSB	72"	652
84TSB	84"	689
96TSB	96"	726
108TSB	108"	763
120TSB	120"	801

Snow Pusher



- Fixed position
- 26" high x 20" deep
- 1/2" x 6" cutting edge
- 3/16" material
- Enclosed end plate
- Replaceable skid shoes
- Optional rubber

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width	Weight (lbs.)
72SP	72"	474
84SP	84"	523
96SP	96"	572
108SP	108"	621
120SP	120"	670





Manure Forks

Manure Forks – Standard Tines

Manure Forks – Conus I Tines

Manure Fork Standard Replacement Tine

Manure Forks – Standard Tines

For strawy pen-pack manure.



- 20" high
- 1 1/4" square tines made from 1045 heat treated material
- 30" tooth length with 25" useable
- Average tine spacing is 7 1/4" c to c
- Tines are easily removed

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width
48MF	48"
54MF	54"
60MF	60"
66MF	66"
72MF	72"
84MF	84"

Manure Forks – Conus I Tines

Versatile use such as light brush cleanup, manure handling, and round or square bale handling.




- 22" high
- High tensile Conus I tines
- 31.9" tooth length with 27" useable
- Tines are rated at 1800 lbs 24" out
- Average tine spacing is 7 1/4" c to c
- Very durable
- Grapple available

Made to fit any mount.
See mounting information

PRODUCT SPECIFICATIONS

Part #	Width
60MFC	60"
66MFC	66"
75MFC	75"
82MFC	82"

Manure Fork Standard Replacement Tine



- 1 1/4" in. square tines made from 1045 heat treated material
- 30" tooth length

MAST





Mount Plates

Solid Universal Mount Plate

Split Universal Mount Plates


Euro/Global-Style Mount Plates

Mount Plates for John Deere 300, 400 & 500

Mount Plates for John Deere 640 & 740

Solid Universal Mount Plate

Weld-on mount plate.



- 5/16" thick steel is standard
- Available in 3/8" thick steel for heavy-duty use

PRODUCT SPECIFICATIONS

Part #	Width
SOLIDMTS	5/16"
SOLIDMTSHD	3/8"

Split Universal Mount Plates

Weld-on mount plate.



- 5/16" thick steel

Euro/Global-Style Mount Plates



Mount Plates for John Deere 300, 400 & 500



Mount Plates for John Deere 640 & 740





MAST

MAST





////// Miscellaneous

Changeover Face Plate Unit

3-Point Adapter

Farm Handy Plate

Feed Alley Scraper

Sand Leveler

Changeover Face Plate Unit

Change your tractor loader to a skid-steer universal quick attach hookup. Each unit is custom-built.



3-Point Adapter

Use with any 3-Point attachment on the front of your tractor or skid-steer loader.



- Fits category I and II hitches
- Heavy duty 2" Reese hitch receiver on the front

Made to fit any mount.
See [mounting information](#)

Farm Handy Plate

Built to fit onto a skid steer universal quick attach with a 2" Reese hitch receiver welded on.



- Wagon hitch included
- 3/8" chain hook welded on
- Move wagons with your skid loader
- Cutout for better visibility

Made to fit any mount.
See **mounting information**

Feed Alley Scraper




- 96" long x 16" high
- Scrapes 72" wide
- Rubber edge protects concrete
- Adjustable angle
- Scrapes to the right

Made to fit any mount.
See [mounting information](#)

Sand Leveler

Designed to rake and level sand in freestall barns.



Made to fit any mount.
See mounting information

- Heavy-duty high carbon 3/4" teeth 11" overall, 7" useable length
- Manual pivot for use on right or left side of your skid loader
- No hydraulics - low-maintenance
- Rakes 60" to 72" stalls







Trailer Mover

3-Point Trailer Mover



3-Point Trailer Mover

Category I or II pins available



- 2 5/16" hitch ball
- 2" receiver





Attachment Accessories

Standard Tooth Bar

Heavy-duty Tooth Bar

1" Regular-duty Shank and Tooth

Shank for 1" Tooth

1" Regular-duty Fabricated Tooth

1 1/2" Heavy-duty Fabricated Tooth

Shank and Cutting Tooth – 1 1/2" Heavy-duty

Shank for 1 1/2" Tooth

1 1/2" Heavy-duty Shank and Cutting Tooth

Shank for Standard Tooth Bar

Shank and Cutting Tooth for Standard Tooth Bar

Shank for Heavy-duty Tooth Bar

Shank and Cutting Tooth for Heavy-duty Tooth Bar


Shank and Forged Tooth

Forged Tooth

Flex Pin



Standard Tooth Bar



Our bolt-on tooth bar slides over the cutting edge and bolts to the side of your bucket. Easily remove the tooth bar from your bucket by simply removing two bolts. These are built to fit our standard size buckets, however, we can custom build for any size bucket.

- Teeth are spaced 10" center-to-center
- 1" teeth

Heavy-duty Tooth Bar



Our bolt-on tooth bar slides over the cutting edge and bolts to the side of your bucket. Easily remove the tooth bar from your bucket by simply removing two bolts. These are built to fit our standard size buckets, however, we can custom build for any size bucket.

- Teeth are spaced 10" center-to-center
- 1 1/2" teeth

1" Regular-duty Shank and Tooth

The shank is a cast 2A and the tooth is a 2A series cast tooth. This comes with a roll pin and can be pinned or crimped.

- 2A series cast tooth, Part # 8002A-C
- Cast 2A shank with hole, Part # 12L6DW-8-2A-H
- Roll pin, Part # RP-H2A



Shank for 1" Tooth

Tooth can be crimped on or welded on.

- Part # 12L5DW-8-2A



1" Regular-duty Fabricated Tooth

This tooth can be crimped to a shank (such as Part # 12L5DW-8-2A) and no pin is needed.

- Part # 8002A



1 1/2" Heavy-duty Fabricated Tooth

This tooth is used on our Standard Buckets and our Rock Bucket Grapples.

- Part # 8823



Shank and Cutting Tooth – 1 1/2" Heavy-duty

Heavy-duty shank and 1 1/2" cutting tooth. Use this shank and tooth for Rocket Bucket Grapples.

- 1 1/2" heavy-duty tooth - Part # 8823
- Shank - Part # CL-1001-23-1
- Flex pin - Part # RPH23
- Use this shank and tooth for Rocket Bucket Grapples



Shank for 1 1/2" Tooth

Shank for 1 1/2" heavy-duty teeth. Use this shank with standard buckets.

- Shank fits 1 1/2" heavy duty teeth
- Use this shank with root rake grapples and standard buckets
- Part # CL-1001-23-1



1 1/2" Heavy-duty Shank and Cutting Tooth

Use this shank and tooth for Standard Buckets.

- 1 1/2" heavy-duty tooth - Part # 8823
- Shank - Part # CL-1001-23-1
- Flex pin - Part # RPH23
- Shank and tooth can be pinned or welded together



Shank for Standard Tooth Bar

Use with tooth - Part # 8002A.

- Part # TB-8000-2A



Shank and Cutting Tooth for Standard Tooth Bar

- Tooth - Part # 8002A
- Shank - Part # TB-8000-23
- Roll pin - Part # RP-H2A



Shank for Heavy-duty Tooth Bar

Use with 1 1/2" heavy-duty tooth - Part # 8823.

- Part # TB-1001-23



Shank and Cutting Tooth for Heavy-duty Tooth Bar

Use this shank and tooth for a heavy-duty tooth bar.

- 1 1/2" heavy-duty tooth - Part # 8823
- Shank - Part # TB-1001-23
- Flex pin - Part # RPH23



Shank and Forged Tooth



Forged Tooth

Forged tooth fits all 23 series shanks.

— Part # 8330F



Flex Pin

— Part # RPH23







Replacement Parts

Conus I Bale Spear Tine

Conus II Bale Spear Tine


Manure Fork Standard Replacement



Conus I Bale Spear Tine

Spears are Kverneland brand manufactured in Denmark.

- Spears are rated at 1800 lbs. at 24" load center
- Spears slide into welded-in sleeve on Mast manufactured products and attach with a nut



Conus II Bale Spear Tine


Spears are Kverneland brand manufactured in Denmark.

- Spears are rated at 3485 lbs. at 24" load center
- Spears slide into welded-in sleeve on Mast manufactured products and attach with a nut



Manure Fork Standard Replacement

- 1 1/4" in. square tines made from 1045 heat treated material
- 30" tooth length





JAN 2023

ATTACHMENT CATALOG

Pricing Pages

MAST
FARM SERVICE



Manure-Slurry Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
54MAN	54"	14.96	0.55	440	\$1,185.00
60MAN	60"	16.62	0.62	471	\$1,255.00
66MAN	66"	18.28	0.68	500	\$1,340.00
72MAN	72"	19.95	0.74	540	\$1,410.00
78MAN	78"	21.61	0.80	580	\$1,550.00
84MAN	84"	23.27	0.86	645	\$1,640.00
96MAN	96"	26.60	0.99	730	\$1,805.00

Material Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
48MAT	48"	14.88	0.55	365	\$1,045.00
54MAT	54"	16.89	0.63	420	\$1,185.00
60MAT	60"	18.77	0.7	466	\$1,255.00
66MAT	66"	20.65	0.76	501	\$1,340.00
72MAT	72"	22.52	0.83	522	\$1,410.00
78MAT	78"	24.4	0.9	566	\$1,550.00
84MAT	84"	26.28	0.97	607	\$1,640.00
96MAT	96"	30.03	1.11	692	\$1,805.00

Tube-Top Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
54TUBE	54"	26.46	0.98	610	\$1,590.00
60TUBE	60"	29.40	1.09	680	\$1,770.00
66TUBE	66"	32.34	1.19	750	\$1,945.00
72TUBE	72"	35.04	1.30	820	\$2,125.00
78TUBE	78"	37.96	1.41	892	\$2,195.00
84TUBE	84"	40.88	1.51	905	\$2,255.00
96TUBE	96"	46.72	1.73	990	\$2,390.00



Utility Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
48UT	48"	14.35	0.53	365	\$1,045.00
54UT	54"	16.17	0.60	420	\$1,185.00
60UT	64"	17.97	0.67	435	\$1,255.00
66UT	66"	19.77	0.73	489	\$1,340.00
72UT	72"	21.57	0.80	510	\$1,410.00
78UT	78"	23.36	0.87	530	\$1,550.00
84UT	84"	25.16	0.93	560	\$1,640.00
96UT	96"	28.75	1.06	620	\$1,805.00

Low-Profile Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
48LOW	48"	13.44	0.49	350	\$1,045.00
54LOW	54"	15.13	0.56	400	\$1,185.00
60LOW	60"	16.81	0.62	431	\$1,255.00
66LOW	66"	18.49	0.68	479	\$1,340.00
72LOW	72"	20.17	0.75	500	\$1,410.00
78LOW	78"	21.85	0.81	520	\$1,550.00
84LOW	84"	23.53	0.87	550	\$1,640.00
96LOW	96"	26.89	1.00	610	\$1,805.00

Grading Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
48GRAD	48"	11.95	0.44	375	\$1,045.00
54GRAD	54"	13.45	0.49	430	\$1,185.00
60GRAD	60"	15.13	0.56	454	\$1,255.00
66GRAD	66"	16.81	0.62	482	\$1,340.00
72GRAD	72"	18.49	0.68	510	\$1,410.00
78GRAD	78"	20.17	0.75	538	\$1,550.00
80GRAD	80"	21.85	0.81	577	\$1,640.00
96GRAD	96"	23.53	0.87	615	\$1,805.00

Grading Bucket with Teeth

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
72GRADTEETH	72"	18.49	0.68	510	\$1,805
80GRADTEETH	80"	21.85	0.81	577	\$2,079

Chicken Litter Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
72CHICK	72"	1.1	623	\$1,795.00
78CHICK	78"	1.2	658	\$1,860.00
84CHICK	84"	1.3	693	\$1,935.00
96CHICK	96"	1.5	728	\$2,085.00

Compact Tractor Bucket – Small

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
48SCOM	48"	0.28	269	\$900.00
54SCOM	54"	0.32	288	\$985.00
60SCOM	60"	0.35	307	\$1,080.00
66SCOM	66"	0.39	326	\$1,155.00
72SCOM	72"	0.42	355	\$1,245.00
78SCOM	78"	0.46	384	\$1,320.00
84SCOM	84"	0.49	413	\$1,410.00



Compact Tractor Bucket – Large

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
54LCOM	54"	0.49	445	\$1,180.00
60LCOM	60"	0.55	472	\$1,254.00
66LCOM	66"	0.60	500	\$1,340.00
72LCOM	72"	0.66	527	\$1,410.00
78LCOM	78"	0.71	554	\$1,550.00
84LCOM	84"	0.77	581	\$1,645.00
96LCOM	96"	0.88	608	\$1,795.00

Dingo Bucket

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Cubic Feet	Price
00000	40"	.180	4.86	\$830.00
00000	54"	.284	7.66	\$985.00

Euro-Style Bucket – Small

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
60SEURO	60"	0.51	467	\$1,300.00
66SEURO	66"	0.56	494	\$1,385.00
72SEURO	72"	0.61	521	\$1,465.00
78SEURO	78"	0.66	528	\$1,550.00
84SEURO	84"	0.71	558	\$1,640.00

Euro-Style Bucket – Large

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Feet	Cubic Yards	Weight (lbs.)	Price
72LEURO	72"	24	0.89	550	\$1,715.00
78LEURO	78"	26	0.96	632	\$1,805.00
84LEURO	84"	28	1.04	709	\$1,885.00
96LEURO	96"	32	1.19	786	\$2,050.00

Standard Tooth Bar

Part # TOOTHBAR \$6.00 Per Inch

Heavy-duty Tooth Bar

Part # TOOTHBARHD \$7.00 Per Inch

1" Regular-duty Shank and Tooth

Part # N/A \$17.00

Shank for 1" Tooth

Part # 12L6DW-8-2A-H \$9.65

1" Regular-duty Fabricated Tooth

Part # 8002A \$7.45



1 1/2" Heavy-duty Fabricated Tooth

Part # 8823.....\$14.50

Shank for 1 1/2" Tooth

Part # CL-1001-23-1\$19.50

1 1/2" Heavy-duty Shank & Cutting Tooth

Part # N/A.....\$36.00

Shank and Forged Tooth

Part # N/A.....\$36.00

Forged Tooth

Part # N/A.....\$15.50

Flex Pin

Part # RPH23\$2.50

Rock Bucket Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Weight (lbs.)	Price
54RBG	54"	—	\$3,585.00
66RBG	66"	1075	\$4,710.00
72RBG	72"	1100	\$5,315.00
80RBG	80"	1250	\$6,000.00

Wood & Brush Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
44WBG	44"	—	577	\$3,050.00
58WBG	58"	—	628	\$3,420.00
66WBG	66"	—	915	\$4,295.00
73WBG	73"	—	—	\$4,680.00
80WBG	80"	—	—	\$5,055.00
88WBG	88"	—	—	\$5,440.00

Bucket Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
60BKG	60"	—	825	\$3,325.00
66BKG	66"	—	850	\$3,420.00
72BKG	72"	—	875	\$3,525.00
84BKG	84"	—	925	\$3,765.00

Root Rake Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
72RRG	72"	–	–	\$6,235.00
80RRG	80"	–	1215	\$6,920.00

Compact Root Rake Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
46CRRG	46"	–	490	\$3,265.00

Manure Fork Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
60MFG1	60" SINGLE	–	450	\$2,465.00
60MFG2	60	–	475	\$3,135.00
66MFG2	66"	–	525	\$3,225.00
72MFG2	72"	–	575	\$3,335.00
84MFG2	84"	–	625	\$3,575.00

Extended Bottom Manure Fork Grapple

PRODUCT SPECIFICATIONS

Part #	Width	Cubic Yards	Weight (lbs.)	Price
54MFGE	54" SINGLE	–	–	\$2,550.00
66MFGE	66"	–	675	\$3,685.00
72MFGE	72"	–	700	\$3,795.00
84MFGE	84"	–	750	\$4,025.00

Shank for 1 1/2" Tooth – Rock Bucket Grapple

Part # CL-1001-23.....\$19.25

Shank and Cutting Tooth – 1 1/2" Heavy-duty

Part # N/A.....\$36.50

Shank for 1 1/2" Tooth

Part # CL-1001-23-1\$19.25

Forged Tooth

Part # 8330F\$15.50

Flex Pin

Part # RPH23.....\$2.50



Round Bale Hugger – Single Cylinder

Part # RDBH1 \$2,990.00

Single-Prong Bale Spear

Part # 1BSP \$790.00

Round Bale Hugger – Dual Cylinder

Part # RDBH2 \$3,990.00

Square Bale Hugger

Part # SQBH \$3,640.00

4-Prong Bale Spear

Part # 4BSP \$1,815.00

3-Point Trailer Mover with Bale Spear

Part # 3PTTM W/SPEAR \$630.00

3-Point Bale Spear

Part # 3PTBS - STANDARD \$545.00

Part # 3PTBS - 2PRONG \$735.00

3-Prong Bale Spear

Part # 3BSP 36" SPEAR	\$1,440.00
Part # 3BSP 48" SPEAR	\$1,495.00

2-Prong Bale Spear

Part # 2BSP 36" SPEAR	\$1,160.00
Part # 2BSP 48" SPEAR	\$1,195.00

3-Prong Economy Bale Spear

Part # 3BSPE	\$1,035.00
---------------------------	------------

2-Prong Economy Bale Spear

Part # 2BSPE	\$790.00
---------------------------	----------

Conus I Bale Spear Tine

Part # 400_221150 - 24"	\$63.00	Part # 400_221152 - 43"	\$70.00
Part # 400_221151 - 32"	\$65.00	Part # 400_221153 - 49"	\$78.00
Part # 400_221155 - 39"	\$65.00		

Conus II Bale Spear Tine

Part # 400_241160 - 32"	\$82.00	Part # 400_241162 - 48"	\$110.00
Part # 400_241161 - 36"	\$94.00		

Dingo Pallet Forks

Part # DINGOPF.....\$795.00

Heavy-Duty Pallet Forks

Part # HDPF\$1,585.00

Heavy-Duty Pallet Forks Step-Through

Part # HDPFSTEP\$1,585.00

Medium-Duty Pallet Forks

Part # MDPF\$1125.00

Medium-Duty Pallet Forks Step-Through

Part # MDPFSTEP.....\$1125.00

Light-Duty Pallet Forks

Part # LDPF\$855.00

Boom

PRODUCT SPECIFICATIONS

Part #	Width	Price
5BOOM	5'	\$1,030.00
6BOOM	6'	\$1,055.00
7BOOM	7'	\$1,090.00
8BOOM	8'	\$1,125.00

Pallet Fork Extensions

PRODUCT SPECIFICATIONS

Part #	Width	Price
FORKEXTENSION_LARGE_6	6'	\$645.00
FORKEXTENSION_LARGE_7	7'	\$695.00
FORKEXTENSION_LARGE_8	8'	\$750.00

3-Point Grader – Heavy-duty

PRODUCT SPECIFICATIONS

Part #	Width	Price
GRADER7	7' LEVELING	\$3,190.00
GRADER7	7' CROWNING	\$3,190.00

Trip Snow Blade

PRODUCT SPECIFICATIONS

Part #	Width	Weight (lbs.)	Price	W/Shoes	W/Hydraulics & Shoes
60TSB	60"	615	\$2,460.00	\$2,585.00	\$3,485.00
72TSB	72"	652	\$2,520.00	\$2,645.00	\$3,550.00
84TSB	84"	689	\$2,590.00	\$2,720.00	\$3,630.00
96TSB	96"	726	\$2,650.00	\$2,780.00	\$3,695.00
108TSB	108"	763	\$2,725.00	\$2,850.00	\$3,775.00
120TSB	120"	801	\$2,790.00	\$2,915.00	\$3,850.00

Snow Pusher

PRODUCT SPECIFICATIONS

Part #	Width	Weight (lbs.)	Price
72SP	72"	474	\$1,645.00
84SP	84"	523	\$1,915.00
96SP	96"	572	\$2,190.00
108SP	108"	621	\$2,465.00
120SP	120"	670	\$2,730.00

Manure Forks – Standard Tines

PRODUCT SPECIFICATIONS

Part #	Width	Price
48MF	48"	\$1,095.00
54MF	54"	\$1,265.00
60MF	60"	\$1,360.00
66MF	66"	\$1,450.00
72MF	72"	\$1,535.00
84MF	84"	\$1,710.00

Manure Forks – Conus I Tines

PRODUCT SPECIFICATIONS

Part #	Width	Price
60MFC	60"	\$2,195.00
66MFC	66"	\$2,445.00
75MFC	75"	\$2,700.00
82MFC	82"	\$2,935.00

Manure Fork Standard Replacement Tine

Part # 400_MFTINE\$52.00

Solid Universal Mount Plate

PRODUCT SPECIFICATIONS

Part #	Width	Price
SOLIDMTS	5/16"	\$285.00
SOLIDMTSHD	3/8"	\$320.00

Split Universal Mount Plates

Part # COMBOMTS..... \$185.00

Euro/Global Style Mount Plates

Part # EUROMTS..... \$260.00

Mount Plates for John Deere 300, 400 & 500

Part # JD400-500MTS..... \$260.00

Mount Plates for John Deere 640/740

Part # JD640740MTS..... \$295.00



Changeover Face Plate Unit

Part # FACEPLATECALL FOR PRICING

3-Point Adapter

Part # 3PTAP \$950.00

Farm Handy Plate

Part # FARHP \$550.00

Feed Alley Scraper

Part # FAS \$1,820.00

Sand Leveler

Part # SL \$1,490.00

3-Point Trailer Mover

Part # 3PTTM	\$500.00
--------------------	----------



Standard Tooth Bar

Part # TOOTHBAR\$6.00 Per Inch

Heavy-duty Tooth Bar

Part # TOOTHBARHD\$7.00 Per Inch

1" Regular-duty Shank and Tooth

Part # N/A.....\$23.75

Shank for 1" Tooth

Part # TB-8000-2A\$15.25

1" Regular-duty Fabricated Tooth

Part # 8000-2A.....\$7.50

1 1/2" Heavy-duty Fabricated Tooth

Part # 8823.....\$14.50

Shank for 1 1/2" Tooth

Part # TB-1001-23.....\$21.00

1 1/2" Heavy-duty Shank & Cutting Tooth

Part # N/A.....38.00

Shank and Forged Tooth

Part # N/A.....38.00

Forged Tooth

Part # N/A.....15.50

Flex Pin

Part # RPH23.....\$2.50



PURPOSE

To glorify Jesus Christ in being a faithful steward in all that he has entrusted us with and to let our light shine to everyone who we come in contact with in the marketplace.

VISION

Mast Farm Service strives to be a professional solutions provider of our custom designed metal products.

MISSION CUSTOMERS

We will achieve the highest level of customer satisfaction by producing quality products, delivering on time, and continuously improving all we do.

MISSION EMPLOYEES

We will provide a culture of safety, high moral values, and continuous training. Mast Farm Service knows that the talent of our people produces the success of our company.





3585 SR 39 | Millersburg, OH 44654 | 330.893.2972